

MOL Dynamic Gold Longlife 5W-30 szintetikus motorolaj

Viszkozitási fokozat: **SAE 5W-30**

Teljesítményszint

ACEA C3
API SP
BMW Longlife-04

Jóváhagyás

API SN
VW 504 00/507 00
MB-Approval 229.51

2024-11-14

ZA ZGODNOŚĆ
Z ORYGINAŁEM

MOL Dynamic Gold Longlife 5W-30 szintetikus motorolaj

VW 504 00/507 00

VOLKSWAGEN

AKTIENGESELLSCHAFT

VOLKSWAGEN AKTIENGESELLSCHAFT 38436 WOLFSBURG DEUTSCHLAND

MOL- LUB Ltd.
Mr. Ferenc Weibert
2931 Almásfüzitő Fő út
21 Hungary

JP

fw
18.04.2023
1437-eh-lf
9-43156
9-32371

engine.oil.approvals.vw@r.wob@volkswagen.de

IHRE ZEICHEN
IHRE NACHRICHT
UNSERE ZEICHEN
DURCHWAHL
TELEFAX
E-MAIL

16.05.2023

DATUM

Engine Oil

Dear Mr. Weibert,

Analysis of the engine oil

MOL Dynamic Gold Longlife SAE 5W-30

has shown that product in question meets the requirements in accordance with VW Standard 504 00 and VW Standard 507 00. This engine oil is therefore suitable for use in our vehicles with LongLife Service (petrol and diesel engines, including diesel engines with particulate traps without fuel borne catalyst) in accordance with the Owner's Literature for our products.

So that it is clear to both customers and workshops that this approval has been granted, containers should state:

"approved under VW Standard 504 00 and VW Standard 507 00"

This approval is only valid for the following production site:
MOL- LUB Ltd., 2931 Almásfüzitő Fő út, 21 Hungary

Please note that this approval expires after 36 months, at which point compliance with the then valid VW standards must be verified again.

VOLKSWAGEN AKTIENGESELLSCHAFT
38436 WOLFSBURG
DEUTSCHLAND
TELEFON +49 5361 9-0
TELEFAX +49 5361 9-28282
VW@VOLKSWAGEN.DE

VORSITZENDER DES AUFSICHTSRATS:
HANS DIETER POTTSCH

VORSTAND:
OLIVER BLUME –
VORSITZENDER

ARNO ANTLITZ
RALF BRANDSTÄTTER
MANFRED DOSS
MARKUS DUESMANN
GUNNAR KILIAN
THOMAS SCHAEFER
THOMAS SCHMALL-VON WESTERHOLT
HAUKE STARS

VOLKSWAGEN AKTIENGESELLSCHAFT
SITZ: WOLFSBURG
AMTSGERICHT BRAUNSCHWEIG
HRB 100484

We are pointing out that this letter only addresses whether product reviewed meets the VW standards. We do not address or express any view on compliance with national chemical inventories, the marketability in any sales market or the compliance with local chemical substances laws or other applicable laws. Responsibility for compliance with such legal requirements falls to the engine oil maker, importer or distributor. It is pointed out that approvals from Volkswagen for manufacturers and distributors are granted on the basis of confirmation of compliance with the requirements of Volkswagen Group concerning sustainability in the relations with business partners. That includes environmental protection, human rights and labor rights of employees, transparent business relations, fair market behavior, duty of care to promote responsible raw material supply chains, integration of sustainability requirements in organization and processes. Details are available at: <http://www.volkswagenag.com/presence/nachhaltigkeit/documents/policy-Intern/2016%20Code%20of%20Conduct%20for%20Business%20Partners%20DE-EN.pdf>

INTERNAL

2024-11-14

ZA ZGODNOŚĆ
Z ORYGINAŁEM

MOL Dynamic Gold Longlife 0W-20 syntetyczny olej silnikowy

Stopień lepkości: **SAE 0W-20**

Specyfikacje

API SN Plus

Porsche C20

ACEA C5

Dopuszczenia

VW 508 00/509 00

2024-11-14

ZA ZGODNOŚĆ
Z ORYGNAŁEM

MOL Dynamic Gold Longlife 0W-20 syntetyczny olej silnikowy

VW 508 00/509 00

VOLKSWAGEN

AKTIENGESELLSCHAFT

VOLKSWAGEN AKTIENGESELLSCHAFT 38436 WOLFSBURG DEUTSCHLAND

MOL-LUB Ltd.
Mr. Ferenc Weibert
2931. Almásfüzitő Fő út 21

fw
03.01.2022
1437-eh-lf
9-43156
9-32371
IHRE ZEICHEN
IHRE NACHRICHT
UNSERE ZEICHEN
DURCHWAHL
TELEFAX
E-MAIL

engine oil approvals vwag r-wob@volkswagen.de

19.01.2022 DATUM

Engine Oil

Dear Mr. Weibert,

Analysis of the engine oil

MOL Dynamic Gold Longlife SAE 0W-20

has shown that product in question meets the requirements in accordance with VW Standard 508 00 and VW Standard 509 00. This engine oil is therefore suitable for use in our vehicles with LongLife Service (petrol and diesel engines, including diesel engines with particulate traps without fuel borne catalyst) in accordance with the Owner's Literature for our products.


So that it is clear to both customers and workshops that this approval has been granted, containers should state:

"approved under VW Standard 508 00 and VW Standard 509 00"

This approval is only valid for the following production site:
MOL-LUB Ltd., 2931. Almásfüzitő Fő út 21

Please note that this approval expires after 36 months, at which point compliance with the then valid VW standards must be verified again.

Yours sincerely,


i.V.

Dr. Heini


i.V.

Dr. Fölster

We are pointing out that this letter only addresses whether product reviewed meets the VW standards. We do not address or express any view on compliance with national chemical inventories, the marketability in any sales market or the compliance with local chemical substances laws or other applicable laws. Responsibility for compliance with such legal requirements falls to the engine oil maker, importer or distributor. It is pointed out that approvals from Volkswagen for manufacturers and distributors are granted on the basis of confirmation of compliance with the requirements of Volkswagen Group concerning sustainability in the relations with business partners. That includes environmental protection, human rights and labor rights of employees, transparent business relations, fair market behavior, duty of care to promote responsible raw material supply chains, integration of sustainability requirements in organization and processes. Details are available at: <https://www.volkswagenag.com/presence/nachhaltigkeit/documents/policy-intern/2016%20Code%20of%20Conduct%20for%20Business%20Partners%20DE-EN.pdf>

VOLKSWAGEN AKTIENGESELLSCHAFT
38436 WOLFSBURG
DEUTSCHLAND
TELEFON +49 5361 9-0
TELEFAX +49 5361 9-38382
VW@VOLKSWAGEN.DE

VORSITZENDER DES AUFSICHTSRATS:
HANS DIETER POTSCHE

VORSTAND:
HERBERT DIESS –
VORSITZENDER

MURAT AKSEL
ARND ANTELITZ
OLIVER BLUME
MARKUS DUESMANN
GUNNAR KILIAN
THOMAS SCHMALL VON WESTERHOLT
HILTRUD D. WERNER

VOLKSWAGEN AKTIENGESELLSCHAFT
SITZ: WOLFSBURG
AMTSGERICHT BRAUNSCHWEIG
HRB 100484

2024-11-14

ZA ZGODNOSC
Z ORYGINALEM

MOL Dynamic Prima 5W-40 syntetyczny olej silnikowy

Stopień lepkości: **SAE 5W-40**

Specyfikacje

ACEA C3
BMW Longlife-04
Ford WSS M2C917-A
Porsche A40
Fiat 9.55535-S2

Dopuszczenia

API SN/CF
API SM/CF
VW 502 00/505 00
VW 505 01
MB-Approval 229.51
Renault RN0700
Renault RN0710

2024-11-14
ZA ZGODNOŚĆ
Z ORYGINAŁEM

MOL Dynamic Prima 5W-40 syntetyczny olej silnikowy

VW 502 00/505 00

VOLKSWAGEN

AKTIENGESELLSCHAFT

VOLKSWAGEN AKTIENGESELLSCHAFT 38436 WOLFSBURG DEUTSCHLAND

MOL-LUB Ltd.
Mr. Ferenc Weibert
2931. Almásfüzitő Fő
út Hungary

fw
20.05.2022
1437-eh-lf
9-43156
9-32371
E-MAIL

engine oil approval vwag.r.vob@volkswagen.de

06.06.2022 DATUM

Engine Oil

Dear Mr. Weibert,

Analysis of the engine oil

MOL Dynamic Prima SAE 5W-40

has shown that product in question meets the requirements in accordance with VW 505 00 and VW Standard 505 01. This engine oil is therefore suitable for use in our diesel engines, including engines with turbochargers, in accordance with the Owner's Literature for our products.

So that it is clear to both customers and workshops that this approval has been granted, containers should state:

"approved under VW Standard 505 00 and VW Standard 505 01"

Please note that this approval expires after 36 months, at which point compliance with the then valid VW standards must be verified again.

Yours sincerely,

I.V.

Dr. Heini

I.V.

Dr. Fölster

We are pointing out that this letter only addresses whether product referred meets the VW standards. We do not address or express any view on compliance with national chemical inventories, the marketability in any sales market or the compliance with local chemical substances laws or other applicable laws. Responsibility for compliance with such legal requirements falls to the engine oil maker, importer or distributor. It is pointed out that approvals from Volkswagen for manufacturers and distributors are granted on the basis of confirmation of compliance with the requirements of Volkswagen Group concerning sustainability in the relations with business partners. That includes environmental protection, human rights and labor rights of employees, transparent business relations, fair market behavior, duty of care to promote responsible raw materials supply chains, integration of sustainability requirements in organization and processes. Details are available at: <https://www.volkswagen.com/presse/pressenachhaltigkeit/docu-ments/policy-intern/2016/20Code%20of%20Conduct%20for%20Business%20Partners%20DE-EN.pdf>

INTERNAL

2024-11-14
ZA ZGODNOŚĆ
Z ORYGINAŁEM

MOL Dynamic Prima 5W-40 syntetyczny olej silnikowy

MB-Approval 229.51



Mercedes-Benz AG | 70546 Stuttgart

Mercedes-Benz

MOL-LUB Kft.
Fő út. 21
H-2931 ALMÁSFÜZITŐ
HUNGARY

T/P +49 711 17 24801
T/F +49 711 17 59756

Ihr Zeichen, Ihre Nachricht vom/
Your reference
22.04.2021

Unser Zeichen, unsere Nachricht vom/
Our reference number
RD/PMI-147027

Date
10.06.2021

MB-Approval Certificate - Renewal Approval - Engine Oil - Reblend
MB-Approval 229.51 for: "MOL Dynamic Prima 5W40"
Oil-Code: SAE-Grade: 5W-40

Dear Sir or Madam,

The aforementioned operating fluid complies with the requirements of the Mercedes-Benz Specifications for Operating Fluids, sheet 229.51 and is therefore approved for the respective Mercedes-Benz vehicles and assemblies. The application range is shown on the MB sheet and further defined on the sheet 223.2. Further requirements, e.g. SAE grades, capacities, change intervals etc. must also be observed.

The following regulations apply for the MB-Approval:

- The MB-Approval comes into force on the date shown on this certificate
- The MB-Approval will expire in 5 years at the latest
- The MB-Approval automatically terminates on expiry of the validity period at the latest
- The MB-Approval is only valid as long as the product name is listed in MB BeVo-ONLINE
<http://bevo.mercedes-benz.com>
- Applications for renewals or new approvals etc. must be made in good time
- In addition, the regulations laid down in the current "Obligations Regarding Approval for Operating Fluids" contract apply.
- Former MB-Approval Certificates for the aforementioned operating fluid are hereby rendered invalid.

A 2-liter back-up sample of each formulation, which can be called upon by Mercedes-Benz AG at any given moment, must be retained. We will inform you of the dispatch address.

Sincerely
Mercedes-Benz AG

i.V. Fritz Kreitmann

i.V. Dr. Jochen Betsch

Mercedes-Benz AG | 70546 Stuttgart | T/P +49 711 17 0 | T/F +49 711 17 2 22 44 | dialog.mb@daimler.com | www.mercedes-benz.com

Mercedes-Benz AG, Stuttgart, Germany | Sitz und Registergericht/Domicile and Court of Registry: Stuttgart, HBR-Nr./Commercial Register No.: 76 2673
Vorstand/Board of Management: Bernd Pischhofrieder
Vorstand/Board of Management: Ola Källenius, Vorsitzender/Chairman; Jörg Burzer, Renata Jungo Brüngeger, Sajjad Khan, Sabine Kohleisen, Harald Wilhelm, Markus Schäfer, Britta Seeger

und Mercedes-Benz sind eingetragene Marken der Daimler AG, Stuttgart, Deutschland/ are registered trademarks of Daimler AG, Stuttgart, Germany.

2024-11-14

ZA ZGODNOŚĆ
Z ORYGINAŁEM