

## Leśnictwo Strabla

Grupa czynn.	Leśnictwo	Adres leśny	Stopień trudności pozyskania	Współczynnik trudności pozyskania	Strefa zrywki	Odległość zrywki S	Odległość zrywki W
CP-P	Strabla	01-03-1-05-137 -d -00	4	1,00	1	200	200
	Strabla	01-03-1-05-139 -f -00	4	1,00	1	100	100
	Strabla	01-03-1-05-150 -h -00	4	1,00	1	200	200
	Strabla	01-03-1-05-95 -b -00	4	1,00	1	100	0
IB	Strabla	01-03-1-05-108 -d -00	3	1,00	1	100	100
	Strabla	01-03-1-05-108 -f -00	3	1,00	2	100	100
	Strabla	01-03-1-05-144 -b -00	2	1,00	1	100	100
	Strabla	01-03-1-05-154 -d -00	1	1,00	1	200	200
	Strabla	01-03-1-05-155 -d -00	1	1,00	1	100	100
	Strabla	01-03-1-05-155 -f -00	1	1,00	1	200	200
IIIAU	Strabla	01-03-1-05-100 -c -00	2	1,00	1	200	200
	Strabla	01-03-1-05-106 -b -00	2	1,00	1	300	300
PR	Strabla	01-03-1-05- - -	3	1,00	1	200	200
PTP	Strabla	01-03-1-05- - -	3	1,00	1	200	200
PTW	Strabla	01-03-1-05- - -	4	1,00	1	200	200
TPP	Strabla	01-03-1-05-101 -f -00	3	1,00	1	100	100
	Strabla	01-03-1-05-116 -a -00	3	1,00	1	100	100
	Strabla	01-03-1-05-116 -s -00	3	1,00	1	600	600
	Strabla	01-03-1-05-117 -lx -00	3	1,00	1	100	100
	Strabla	01-03-1-05-117 -mx -00	3	1,00	1	700	700
	Strabla	01-03-1-05-117 -y -00	3	1,00	1	100	100
	Strabla	01-03-1-05-117 -z -00	3	1,00	1	300	0
	Strabla	01-03-1-05-138 -a -00	3	1,00	1	100	100
	Strabla	01-03-1-05-142 -f -00	3	1,00	1	200	200
	Strabla	01-03-1-05-145 -h -00	3	1,00	1	200	200
	Strabla	01-03-1-05-146 -a -00	3	1,00	1	300	300
	Strabla	01-03-1-05-151 -ax -00	3	1,00	1	500	500
	Strabla	01-03-1-05-151 -d -00	3	1,00	1	300	300
	Strabla	01-03-1-05-151 -m -00	3	1,00	1	200	200
	Strabla	01-03-1-05-151 -n -00	3	1,00	1	200	200
	Strabla	01-03-1-05-151 -w -00	3	1,00	1	200	200
	Strabla	01-03-1-05-151 -x -00	3	1,00	1	400	400
	Strabla	01-03-1-05-151 -y -00	3	1,00	1	400	400
	Strabla	01-03-1-05-152 -a -00	3	1,00	1	200	200
	Strabla	01-03-1-05-152 -b -00	3	1,00	1	300	300
	Strabla	01-03-1-05-152 -bx -00	3	1,00	1	100	100
	Strabla	01-03-1-05-152 -cx -00	3	1,00	1	100	100
	Strabla	01-03-1-05-152 -d -00	3	1,00	1	200	200
	Strabla	01-03-1-05-152 -dx -00	3	1,00	1	100	100
	Strabla	01-03-1-05-152 -g -00	3	1,00	1	400	400
	Strabla	01-03-1-05-152 -hx -00	3	1,00	1	200	200
	Strabla	01-03-1-05-152 -i -00	3	1,00	1	200	200
	Strabla	01-03-1-05-152 -ix -00	3	1,00	1	200	200
	Strabla	01-03-1-05-152 -j -00	3	1,00	1	400	400
	Strabla	01-03-1-05-152 -jx -00	3	1,00	1	300	300
	Strabla	01-03-1-05-152 -k -00	3	1,00	1	400	400

**Załącznik nr 3.3. do SIWZ - zestawienie stopni trudności i współczynników utrudnień pozyskania oraz stref i odległości zrywki**

Grupa czynn.	Leśnictwo	Adres leśny	Stopień trudności pozyskania	Współczynnik trudności pozyskania	Strefa zrywki	Odległość zrywki S	Odległość zrywki W
TPP	Strabla	01-03-1-05-152 -kx -00	3	1,00	1	300	300
	Strabla	01-03-1-05-152 -l -00	3	1,00	1	400	400
	Strabla	01-03-1-05-152 -lx -00	3	1,00	1	400	400
	Strabla	01-03-1-05-152 -m -00	3	1,00	1	100	100
	Strabla	01-03-1-05-152 -mx -00	3	1,00	1	300	300
	Strabla	01-03-1-05-152 -n -00	3	1,00	1	700	700
	Strabla	01-03-1-05-152 -t -00	3	1,00	1	300	300
	Strabla	01-03-1-05-152 -w -00	3	1,00	1	300	300
	Strabla	01-03-1-05-152 -x -00	3	1,00	1	200	200
	Strabla	01-03-1-05-153 -a -00	3	1,00	1	100	100
	Strabla	01-03-1-05-153 -d -00	3	1,00	1	100	100
	Strabla	01-03-1-05-73 -l -00	3	1,00	1	900	900
	Strabla	01-03-1-05-92 -i -00	3	1,00	1	200	200
	Strabla	01-03-1-05-108 -a -00	4	1,00	1	200	0
TWP	Strabla	01-03-1-05-115 -b -00	4	1,00	1	200	0
	Strabla	01-03-1-05-115 -g -00	4	1,00	1	200	200
	Strabla	01-03-1-05-116 -k -00	4	1,00	1	200	0
	Strabla	01-03-1-05-116 -o -00	4	1,00	1	500	0
	Strabla	01-03-1-05-117 -f -00	4	1,00	1	200	0
	Strabla	01-03-1-05-117 -nx -00	4	1,00	1	200	200
	Strabla	01-03-1-05-117 -tx -00	4	1,00	1	200	200
	Strabla	01-03-1-05-132 -c -00	4	1,00	1	200	0
	Strabla	01-03-1-05-146 -b -00	4	1,00	1	200	200
	Strabla	01-03-1-05-150 -d -00	4	1,00	1	200	200
	Strabla	01-03-1-05-151 -g -00	4	1,00	1	300	0
	Strabla	01-03-1-05-151 -r -00	4	1,00	1	100	0
	Strabla	01-03-1-05-152 -f -00	4	1,00	1	100	100
	Strabla	01-03-1-05-152 -gx -00	4	1,00	1	300	0
	Strabla	01-03-1-05-157 -h -00	4	1,00	1	200	0
	Strabla	01-03-1-05-161 -m -00	4	1,00	1	500	0
	Strabla	01-03-1-05-164 -d -00	4	1,00	1	400	0
	Strabla	01-03-1-05-164 -f -00	4	1,00	1	400	0