


UMIEJSCOWIENIE POMOSTU MONTAŻOWEGO




Technical drawing of a roof structure showing a plan view and two cross-sections.

Plan View:

- Dimensions: 20x20 and 4x12x4.
- Four bolts (KOTWY Ø16) are shown at the corners.
- Labels for bolts: KOTWY Ø16, L=0,25m, DOSPRAWIANE DO PŁASKOWNIKA.

Cross-sections:

- Top cross-section: Shows a 200x200x8 plate and a 100x100x5 plate. The bolts are labeled with L=0,15m and L=0,08m.
- Bottom cross-section: Shows a 200x200x8 plate and a 100x100x5 plate. The bolts are labeled with L=0,15m and L=0,08m.



POMOSTY MONTAŻOWE O WIELKOŚCI NIE WIĘKSZEJ NIŻ NA RYS. UMIEŚCIĆ NA KAŻDEJ KONDYGNACJI NA POZIOMIE PRZYSTANKU. W PRZYPADKU, GDY ODLEGŁOŚĆ W PIONIE MIĘDZY POZIOMAMI PRZYSTANKÓW PRZEKRACZA 4,0m, UMIEŚCIĆ DODATKOWY POZIOM W POŁOWIE TEJ ODLEGŁOŚCI. NA NAJWYŻSZYM PRZYSTANKU UMIEŚCIĆ DODATKOWY POMOST W POŁOWIE WYSOKOŚCI OTWORU DRZWIOWEGO. POMOSTY POWINNY PRZENIEŚĆ OBCIĄŻENIE min. 2 kN/m².

<p style="text-align: center;">PRACOWNIA PROJEKTÓW I USŁUG BUDOWLANYCH MGR INŻ. MIROSLAWA WITCZAK 63-700 KROTOSZYN UL.RYNEK 1/4 TEL.(0-62) 722-82-17</p>			
TYTUŁ RYS.	SZCZEGÓŁY POMOSTÓW MONTAŻOWYCH		SKALA
NAZWA INWESTYCJI	PRZEBUDOWA CZĘŚCI BUDYNKU ŚDS WRAZ Z DOBUDOWĄ WINDY		1:50/1:25
			NR RYSUNKU
INWESTOR	POWIATOWE CENTRUM POMOCY RODZINIE W KROTOSZYNIE	K-3	
ADRES INWESTYCJI	KROTOSZYN UL.LANGIEWICZA 2 (DZ.6316/2)	DATA	PODPIS
AUTORZY PROJEKTU	MGR INŻ. MIROSLAWA WITCZAK upr.UAN 7342-29/92	12.2018	
	INŻ. DANUTA KMIECIK-BARTKOWIAK upr.84/81/Pw	12.2018	