


























Obiekt: Budynek Uniwersytetu Łódzkiego "Motyl".									MKT	
Treść rys.: Zbrojenie górne płyty 1 piętra										
2024-02-07		SPECYFIKACJA DO RYSUNKU NR:		MTL-PT-K-18.2					1 / 4	
ELEMENT	POZYCJA	SZKIC PRĘTA [cm]	Φ	Φ	Długość [cm]	Ilość "n" [szt.]		"n x l" [m]	Ciężar [kg]	Ciężar całk. [kg]
			A-0	A-IIIIN		I	na 1 el.			
1	2	3	4	5	6	7	8	9	10	11
Zbrojenie dodatkowe	40		-	12	92.0	-	472	434.2	385.5	Σ= 1863.1
	41		-	12	88.0	-	728	640.6	568.8	
	68		-	10	1474.0 mb	-	-	1474.0	908.8	
Zbrojenie górne płyty 1 piętra	1		-	20	565.0	-	11	62.2	153.3	Σ= 1929.9
	2		-	20	365.0	-	10	36.5	90.0	
	3		-	16	565.0	-	11	62.2	98.1	
	4		-	16	440.0	-	52	228.8	361.1	
	5		-	16	365.0	-	10	36.5	57.6	
	6		-	16	223.0	-	8	17.8	28.2	
	7		-	12	1200.0	-	4	48.0	42.6	
	8		-	12	931.0	-	14	130.3	115.7	
	9		-	12	872.0	-	4	34.9	31.0	
	10		-	12	870.0	-	4	34.8	30.9	
	11		-	12	806.0	-	13	104.8	93.0	
	12		-	12	720.0	-	23	165.6	147.0	
	13		-	12	700.0	-	15	105.0	93.2	
	14		-	12	653.0	-	25	163.3	144.9	
	15		-	12	611.0	-	2	12.2	10.8	
	16		-	12	593.0	-	29	172.0	152.7	
	17		-	12	565.0	-	39	220.4	195.6	
	18		-	12	517.0	-	4	20.7	18.4	
	19		-	12	510.0	-	7	35.7	31.7	
	20		-	12	479.0	-	8	38.3	34.0	
MTL-PT-K-18.2_spec									<div> Adelante Solutions © 2014 - 2024</div>	

Obiekt: Budynek Uniwersytetu Łódzkiego "Motyl".									MKT	
Treść rys.: Zbrojenie górne płyty 1 piętra										
2024-02-07		SPECYFIKACJA DO RYSUNKU NR:			MTL-PT-K-18.2				2 / 4	
ELEMENT	POZYCJA	SZKIC PRĘTA [cm]	Φ	Φ	Długość [cm]	Ilość "n" [szt.]		"n x l" [m]	Ciężar [kg]	Ciężar całk. [kg]
			A-0	A-IIIIN		I	na 1 el.			
1	2	3	4	5	6	7	8	9	10	11
Zbrojenie górne płyty 1 piętra	21		-	12	441.0	-	1	4.4	3.9	Σ= 2400.6
	22		-	12	440.0	-	109	479.6	425.8	
	23		-	12	430.0	-	37	159.1	141.3	
	24		-	12	427.0	-	22	93.9	83.4	
	25		-	12	410.0	-	67	274.7	243.9	
	26		-	12	365.0	-	15	54.8	48.6	
	27		-	12	360.0	-	31	111.6	99.1	
	28		-	12	343.0	-	3	10.3	9.1	
	29		-	12	342.0	-	97	331.7	294.5	
	30		-	12	331.0	-	22	72.8	64.7	
	31		-	12	302.0	-	22	66.4	59.0	
	32		-	12	282.0	-	29	81.8	72.6	
	33		-	12	280.0	-	23	64.4	57.2	
	34		-	12	278.0	-	66	183.5	162.9	
	35		-	12	260.0	-	75	195.0	173.1	
	36		-	12	223.0	-	7	15.6	13.9	
	37		-	12	219.0	-	13	28.5	25.3	
	38		-	12	200.0	-	16	32.0	28.4	
	39		-	12	120.0	-	2	2.4	2.1	
	42		-	10	770.0	-	40	308.0	189.9	
43		-	10	530.0	-	11	58.3	35.9		
44		-	10	396.0	-	61	241.6	148.9		
45		-	10	396.0	-	7	27.7	17.1		
MTL-PT-K-18.2_spec									<div> Adelante Solutions © 2014 - 2024</div>	

Obiekt: Budynek Uniwersytetu Łódzkiego "Motyl".									MKT	
Treść rys.: Zbrojenie górne płyty 1 piętra										
2024-02-07		SPECYFIKACJA DO RYSUNKU NR:			MTL-PT-K-18.2				3 / 4	
ELEMENT	POZYCJA	SZKIC PRĘTA [cm]	Φ	Φ	Długość [cm]	Ilość "n" [szt.]		"n x l" [m]	Ciężar [kg]	Ciężar całk. [kg]
			A-0	A-IIIIN		I	na 1 el.	na Σ el.	L	wg Φ
1	2	3	4	5	6	7	8	9	10	11
Zbrojenie górne płyty 1 piętra	46		-	10	371.0	-	18	66.8	41.2	Σ= 1469.0
	47		-	10	356.0	-	10	35.6	21.9	
	48		-	10	350.0	-	22	77.0	47.5	
	49		-	10	330.0	-	10	33.0	20.3	
	50		-	10	271.0	-	21	56.9	35.1	
	51		-	10	267.0	-	65	173.6	107.0	
	52		-	10	267.0	-	4	10.7	6.6	
	53		-	10	266.0	-	65	172.9	106.6	
	54		-	10	260.0	-	50	130.0	80.1	
	55		-	10	248.0	-	172	426.6	263.0	
	56		-	10	246.0	-	27	66.4	41.0	
	57		-	10	245.0	-	48	117.6	72.5	
	58		-	10	240.0	-	2	4.8	3.0	
	59		-	10	239.0	-	12	28.7	17.7	
	60		-	10	222.0	-	14	31.1	19.2	
	61		-	10	212.0	-	116	245.9	151.6	
	62		-	10	203.0	-	145	294.4	181.5	
	63		-	10	201.0	-	40	80.4	49.6	
	64		-	10	196.0	-	72	141.1	87.0	
	65		-	10	193.0	-	14	27.0	16.7	
66		-	10	192.0	-	14	26.9	16.6		
67		-	10	173.0	-	48	83.0	51.2		
69		-	8	481.0	-	17	81.8	32.3		
MTL-PT-K-18.2_spec									Adelante Solutions © 2014 - 2024	

